

FIG. 1

2/10




FIG. 2




FIG. 3

4/10




FIG. 4





FIG. 5

6/10

TWELVE WEEK STUDY - SNELLEN CHART RESULTS

Pationt #	Before Treatment OD	After Treatment OD	Bafora Treatment OS	After Treatment OS
1				
2 3	20/100	20/80	20/200	20/100-1
3		20,00	20/200	
4			20/200	20/100-1
6	20/70+2	20/60-+3	20/400	*20/60-1
8	20/40-2	20/25-2	20/50-1	20/200+1
7	20/200	20/200	20/70	20/30-1+3
8	20/100	20/80	20/200	20/50
9	20 /\$00	20/80-1	20/200	20/100
10	20/50	20/30+2	20/30	20/80-1 20/26+2
11	20/100	20/50+2	20/70	20/26+2
12	20/400	20/400	20/140	20/40+2
13	20/1000	20/400	20/400	20/200
14 15	20/20-2	20/15	20/20	20/15
16	20/20	20/20-	20/40	20/30-
17	20/80-1	20/50 + 1	20/250	20/200
18	20/30	20/25	20/200	20/80
18	20/400	20/400	• • =	20/00
20	20/200	20/200	•	
20			20/50	20/40
22	29/80		20/50	20/40+2
23	20/60	20/80		
24	20/50-2+2	20/50+2	20/40	20/40
25	20/50-1+3	20/50+2	20/25-	20/30+4
26	20/70	20/70	20/1000	20/300
27	20/50	20/50	20/70	20/70
28	20/200	20/200	20/200	20/200
29		20/200	20/320	20/125-2
30			20/200	20/100+1
31	20/70+2	20/70-2	20/200-1	20/100+1
32	20/400	20/80-1		
33		20/80-1		
34	20/60	20/60-2+2	20/25-2	20/20-3
35	•	20/00-242	22.22	
38			20/25-2	20/30+2
37	20/200	20/200+1	20/50	20/50-80
38		20,200+1	20/400	
39	20/25+2	20/25-2	20/25+3	20/400
40	20/200+	20/70-1	20/2043	20/20-2
41	20/400	20/200	20/400	20/400-
42		-	20/20-	20/80+1 20/20-
43	20/400	20/200-1	20/400	
			,-00	20/400
				5cůFIX


FIG. 6



ScŷFIX

FIG. 7










9/10



ScŷFIX

FIG. 9








FIG. 10